



Obstetric Fistula

A Devastating Maternal Injury


'Join us! – Let's Prevent It Together!'

Picture Book









First Edition Published: September 2012

Story & concept developed by:

Dr. Kazi Asadur Rahman, Senior Program Officer/Fistula Care Project Coordinator, Fistula Care Project, EngenderHealth Bangladesh

Technical support & valuable suggestions provided by:

Global Fistula Care Team

Ms. Ellen Brazier Ms. Carrie Ngongo Dr. Joseph Ruminjo

Engender Health Bangladesh

Dr. A.J Faisel, Country Representative, Engender Health Bangladesh and Project Director, Mayer Hashi Project Ms. Ellen Themmen, Technical Director, Engender Health Bangladesh and Deputy Project Director, Mayer Hashi Project Dr. Mizanur Rahman, Senior Technical Advisor, Mayer Hashi Project

Cover page & graphics designed by:

Mr. Saleh Ahmed Shareef, EngenderHealth Bangladesh

Foreword

I am very happy to know that a 'Picture Book' on prevention of Obstetric Fistula has been developed by the Fistula Care Project of EngenderHealth Bangladesh, which will be used by service providers at the facility level and facilitators of community awareness raising meetings at the community level to create an environment to facilitate prevention of Obstetric Fistula in the catchments' population of Fistula Care supported hospitals.

I thank the members of the Bangladesh Fistula Care Project team, the Global Fistula Care Team and all the team members of the EngenderHealth Bangladesh Country Office for providing their valuable suggestions and support in developing this 'Picture Book' on prevention of Obstetric Fistula.

Dr. A. J. Faisel Country Representative EngenderHealth Bangladesh County Office

User Instructions

This picture book is designed to support health service providers and field-level workers in raising awareness among local leaders and the general population about obstetric fistula and engaging these audiences in the effort to prevent obstetric fistula and improve maternal health in their communities.

The book is divided into three sections:

- The 1st section describes the tragic story of 14 year old Fatema. The story is intended to be used in stimulating discussion about the factors contributing to Fatema's tragedy.
- The 2nd section describes what an obstetric fistula is and how an obstetric fistula develops.
- The 3rd section focuses on how obstetric fistula can be prevented. It describes important actions that women, families, and communities can take to ensure that women go through pregnancy safely.


Obstetric fistula is preventable. It is hoped that this book will help users prevent obstetric fistula in their communities.

Obstetric fistula can be treated "free of cost" at the following health facilities


Ad-din Hospital, Bara Maghbazar, Dhaka
Kumudini Hospital, Mirzapur, Tangail
10 Government Medical College Hospitals

Ad-din Hospital, Rail Road, Jessore
LAMB Hospital, Parbatipur, Dinajpur


A 14 year old village girl named Fatema



Fatema got married at the age of 15





Just after marriage, Fatema became pregnant. She was not aware of antenatal care.



When Fatema's labour pains started, her mother-in-law called for the traditional birth attendant to help. The birth attendant had no training. Fatema laboured for two days at home and finally delivered a dead baby.








What Is Obstetric Fistula?

Fistula is a hole or abnormal opening in the birth canal from which continuous leaking of urine or feces or both occurs.

But urine only during strong sneezing/coughing/ laughing is not fistula

What Is Obstetric Fistula?




How Does Obstetric Fistula Develop?

When labor lasts too long (more than 12 hours), women are at risk of developing an obstetric fistula.

During labor, the baby's head presses against the soft tissue in the mother's birth canal. This pressure from the baby's head reduces or cuts off the circulation of blood to the tissue.

When labor lasts too long (more than 12 hours), the tissue can die. A hole forms between the birth canal and the bladder or rectum or both, and then urine or feces leak constantly. This is an obstetric fistula.


How Does Obstetric Fistula Develop?




Why Does Obstetric Fistula Develop?

"A woman is at risk of obstetric fistula when labor pains last more than 12 hours. A woman should be taken to the hospital immediately if she has not delivered the baby after 12 hours of labor."


Why Does Obstetric Fistula Develop?



Pregnancy at a young age increases a woman's risk for long labor and obstetric fistula



Pregnancy at a young age increases a woman's risk for long labor and obstetric fistula



How to prevent the occurrence of obstetric fistula?

Delay marriage until after age 18.

Use family planning to delay pregnancy until a woman can go through pregnancy and childbirth safely.

Ensure that pregnant women attend antenatal care regularly and develop a birth plan.

Ensure that pregnant women deliver with a skilled birth attendant who can recognize and manage complications or refer the woman quickly if labour does not progress well.

How to prevent the occurrence of obstetric fistula?





Antenatal care is important for ensuring that the pregnant woman is in good health throughout her pregnancy and that the baby is growing well.

Antenatal care providers can also identify which women may have difficult deliveries because of way the baby is positioned. These women should always plan to deliver at hospital.





Seek antenatal care from a trained health worker



The pregnant mother and her family should decide before the delivery whether she will deliver her baby at home or at hospital. Once the decision is made, the mother and family should prepare accordingly before the birth.

If they are planning to deliver at home, the pregnant mother and her family should select a skilled/trained birth attendant who will provide delivery care and, if necessary, refer her to a hospital.

The pregnant mother and her family should start saving money from the beginning of the pregnancy in case of an emergency.

Either the family or the community will have to ensure the availability of a reliable transport to carry the pregnant mother to hospital if necessary.

The family and community should find an available and willing blood donor of same blood group so that assistance is available in the case of an emergency.

Birth Planning





All women should deliver with a trained provider who can recognize complications quickly and who recognizes when labour has lasted too long.


If labour lasts more than 12 hours, the pregnant woman should be taken to hospital where skilled providers are available.

If labour lasts more than 12 hours, an operation/Caesarean section may be needed to protect the health and life of the mother and the baby.



Presence of skilled or trained birth attendant for providing care during delivery





Use a family planning method after having a discussion with the family planning or health worker

Using family planning methods



What do you think?.....

Is it possible to prevent obstetric fistula in your area or society?.....

Join us.....

If we try

And you try

You can help us make others aware...

And together, we can all help prevent obstetric fistula

This picture book was made possible by the generous support of the American people through the U.S. Agency for International Development (USAID), under the terms of the cooperative agreement GHS-A-00-07-00021-00. The information provided is not official U.S. Government information and does not represent the views or positions of the USAID or the U.S. Government.

For more information, please contact: EngenderHealth Bangladesh Address: Concord Royal Court (5th Floor), House-40, Road-16 New, Dhanmondi R/A, Dhaka-1209 Telephone: 8802 8119234, 8802 8119236; Fax: 8802 8119235 Email: afaisel@engenderhealth.org; website: www.engenderhealth.org

